	Application No.	Applicant(s)
	09/764,202	RAFIE ET AL.
Notice of Allowability	Examiner	Art Unit
	Sudhanshu C. Pathak	2634
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>December 21st, 2005</u> .		
2. The allowed claim(s) is/are 25-36 & 42 and re-numbered a	s claims 1-to-13 respectively.	
 3. Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date ldentifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the CENTRAL CONTROL about the decorement.	son's Patent Drawing Review (PTO-6 . s Amendment / Comment or in the O .84(c)) should be written on the drawin he header according to 37 CFR 1.121(c	office action of ogs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date	e <i>Jan.</i> 19 th , 2006 .
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/764,202 Page 2

Art Unit: 2634

DETAILED ACTION

1. Claims 25-36 & 42 are pending in the application.

2. Claims 1-24, 37-41 & 43 have been canceled.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John P. Darling on January 19th, 2006.

 In order to avoid a 112 2nd, Paragraph Rejection, the claims have been amended in the following manner:

In Claim 25, line 6 replace
"the pilot symbols" with
the equalized pilot symbols
In Claim 25, line 11 replace

"the same link" with

.....a link.....

> In Claim 26, lines 1-2 replace

"further comprising: a memory circuit" with

.....wherein the memory is a Random Access Memory (RAM),

> In Claim 30, line 2 replace

Application/Control Number: 09/764,202 Page 3

Art Unit: 2634

"to the equalizer to" with
.....to the first equalizer.....

In Claim 31, line 2 replace

"to the equalizer to" with

> In Claim 32, line 2 replace

....to the first equalizer.....

"to the equalizer to" with

.....to the first equalizer.....

Allowable Subject Matter

- 4. Claims 25-36 & 42 and re-numbered as claims 1-to-13 respectively are allowed.
- 5. Claims 25-36 & 42 and re-numbered as claims 1-to-13 respectively are allowable over the prior art of record because the cited references do not contain the specified limitation of a carrier phase recovery system comprising: a first equalizer configured to equalize a present burst of data using equalizer weights from a previous burst of pilot symbols and data symbols, the present burst of data including pilot symbols and data symbols; a carrier phase recovery unit which recovers phase for the present burst of data using the equalized pilot symbols of the present burst; a mixer combining a delayed version of the present burst and the recovered phase to produce a phase-error compensated signal; and a second adaptive equalizer which equalizes the phase-error compensated signal to produce an equalized output signal and provides next burst equalizer

Application/Control Number: 09/764,202

Art Unit: 2634

weights to a memory to be timely applied to the first equalizer for equalizing a next burst of data on a link.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sudhanshu C. Pathak whose telephone number is (571)-272-3038. The examiner can normally be reached on M-F: 9am-6pm.

- If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh M. Fan can be reached on (571)-272-3042
- The fax phone number for the organization where this application or proceeding is assigned is (571)-273-8300.
- Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sudhanshu C. Pathak

SUPERVISORY PATENT EXAMINER

This Wo J

Page 4